

MBTT Hospitality & Commercial Supplies formed 30 years ago and incorporated on January 19th, 1989. The commercial operation commenced on January 1st, 2000. This company has given the best service and has left no chance of complaints with any of its customers. By providing a high quality service and a reasonable price, this company has managed to gain a good reputation in such a competitive market.

Products/Services

 Connectivity solutions for Internet, audio, power and TV / Video.

- · Audio/video connectivity panels
- · Cable management products
- Wireless Internet access points
- · Mobile device charging products
- Docking solutions
- · Consumable and custom products
- Restaurant Supplies
- · Lobby & Houskeeping Supplies
- Hotel Phones
- Electronic Safes
- Minibars
- Steam Iron / Iron Stand
- Weigh Scales
- Hairdryers
- Amenities

Major Clients/Partners enjoys Brand Standards with many leading hotel groups and supplies products to hotels around the world.

Preferred Supplier Status within Hospitality Include: Marriott, Accor, Starwood, Rezidor, IHG, Hilton, Best Western, Wyndham, Jumeirah, Kimpton, Hyatt, Meraas.





Double body 304 stainless steel

Model / H1268



Mat finishing • Spring cover • Seamless Inner Body


Voltage: 220-240V Capacity: 0.8L Hertz: 50-60Hz Power: 1000-1200W Product size:185x122x184mm

CE CB






H1268 BLACK



0.8L electric kettle with double body

6.1 inch



3-LAYER ANTI-SCALD BODY

Inner Body 316 Stainless Steel

Middle Layer

Anti-scald PP Plastic

Outer Body

Stainless Steel



316 stainless steel

Model / K85



316 stainless steel
 Str

el - Strix

Voltage: 220-240V Capacity: 0.8L Hertz: 50-60Hz Power: 1000-1200W Product size:168x145x230mm









K85 MAT

K85 GOLDEN



ELECTRIC KETTLE 2-layer anti-scald body

2-layer anti-scald body 304 stainless steel

Model / K81



316 stainless steel

Voltage: 220-240V Capacity: 0.8L Hertz: 50-60Hz Power: 1000-1200W Product size:168x145x230mm

C€ CB







K81 BLACK

K81WHITE



Model: H1205/H1206





Voltage: 220-240V Capacity: 1.2L Hertz: 50-60Hz Power: 1000-1200W Product size:190x162x207mm



H1206 Black



Double body 304 stainless steel

Model / H1208



Spring cover • Easy cleaning • Luxury body

 Voltage:
 220-240V
 Capacity:
 0.8L

 Hertz:
 50-60Hz
 Power:
 800-1000W

 Product size:
 187x160x190mm



304 stainless steel

Model / H1206-1



Voltage: 220-240V Capacity: 1L Hertz: 50-60Hz Power: 1000-1200W Product size:196x130x190mm



ELECTRIC KETTLE

304 stainless steel

Model / H1263



Visible water window • Spring cover • Easy cleaning

Voltage: 220-240V Capacity: 0.6L Hertz: 50-60Hz Power: 1000-1200W Product size:187x122x170mm



304 stainless steel Double body Model / H1262

Model / H1262



Visible water window - Spring cover - Easy cleaning

Voltage: 220-240V Capacity: 0.6L Hertz: 50-60Hz Power: 1000-1200W Product size:188x122x170mm







H1262 White

H1262 Blank

Model / H0880S



Voltage: 220-240V Capacity: 0.8L Hertz: 50-60Hz Power: 1000-1200W Product size:188x150x230mm





ELECTRIC KETTLE

Model / H0881S Mat



Voltage: 220 -240V Capacity: 0.8L Hertz: 50-60Hz Power: 1000-1200W Product size:188x150x230mm

ELECTRIC KETTLE

Model / H2002



Wide angle + Easy cleaning + Anti-scald

Voltage: 220 -240V Capacity: 1.2L Hertz: 50-60Hz Power: 1350-1600W Product size:207x150x230mm



H2002 Rway H2002 Black

ELECTRIC KETTLE

Model / H1202 Mat



Voltage: 220-240V Capacity: 1.2L Hertz: 50-60Hz Power: 1350-1600W Product size:203x150x230mm



ELECTRIC KETTLE

Model / H1266



Voltage: 220 -240V Capacity: 1.2L Hertz: 50-60Hz Power: 1350-1600W Product size:220x145x195mm



ELECTRIC KETTLE

Model / H1202B Mat



Voltage: 220-240V Capacity: 1.2L Hertz: 50-60Hz Power: 1800-2000W

Product size:208x150x195mm





Model / Coffee machine

- · 220V-240V~50Hz 1400W
- · 19bar pump powerful pressure for rich taste
- 800ml detachable transparent water tank
- · Espresso and Lungo cup potion
- Adjustable cup support & drip tray
- Compatible with Nespresso capsule
- Auto power off in 5 minute in energy saving mode
- With overheating and overpressure protected device, safe and reliable
- Product size: 300x120x230mm
- white box size: 340x170x270mm




M42 -TRAY

COMPACT WOODEN TRAY



-1128			
SPECIFICATIONS WELCOME TRAYS			
Size of the tray(w x d h)	420x320x25MM		
Size of the tray (wx u fi)			
Material	Wood		



COMPACT WELCOME TRAY

- 1. SPACE-SAVING WITH STORAGE
- 2. ANTI-THEFT: KETTLE BASE IS FIXED TO THE TRAY
- 3. INTEGRATED SPACE FOR KETTLE BASE
- 4. 1X RECESS FOR SPOONS, 3X CONVEX SPACE FOR SACHETS








M -TRAY

COMPACT WELCOME TRAY

- SPACE-SAVING WELCOME TRAY
- HYGIENIC CONSUMABLES DRAWER
- THREE COMPARTMENTS FOR INGREDIENTS
- · LUXURIOUS BLACK COLOR
- DRAWER MADE FROM FOOD-SAFE ABS PLASTIC
- ANTI-THEFT: CABLE CAN BE FIXED TO THE BASE OF THE TRAY



Size of the tray (w d h)	2012130200000	
Material	ABS	
Available colours	Black / White	








P-TRAY

ORIGINAL PATENTED DESIGN--BRAND NEW COMPACT WELCOME TRAY

MORE SPACE SAVING

- 1. COMBINATED THE KETTLE BASE AND TRAY TWO IN ONE, MORE CONCISE AND ELEGANT
- 2. STAINLESS STEEL WATER FILTERS AND RESERVOIRS TO COLLECT OVERFLOW WATER
- 3. ABS MATERIALS WITH MATT FINISH DESIGN, SHATTER & SCRATCH RESISTANCE, FREE OF FINGERPRINTS















Other Options



M-H1268(0.8L,1000W)



M-H1208 Brushed(0.8L,800W)



M-H1261(0.6L,1000W)



M-H1262(0.6L,1000W)



M-H1208 Gun(0.8L,800W)



M-H1263(0.6L,1000W)

Hospitality Tray Series



Model: J Melamine tray Base size:400X270X38mm



Model: K ABS tray Base size:400X270X38mm



	Model: G
	ABS tray
Base	size:443X227X36mm



Model: I ABS tray Base size:363X240X33mm



Model: A Melamine tray Base size:345X315X22.5mm



Model: B Melamine tray Base size:385x325x22.5mm



Model: C Melamine tray Base size:385X308X22.5mm



Model: H		
Melamine tray		
Base size:453X356X22.5m	m	

Tray Set Series

G/I-series

1.Original patented design, combined the kette base and tray two in one, more concise and elegant.

2.Stainless steel water filters and reservoirs to collect overflow water to avoid the huge loss of furniture and wallpaper erosion caused by overflow tea.

3.ABS materials and imitation wood grain design,shatter & scratch resistant,free of fingerprints.





G-H1208(0.8L,800W)



G-H1268 Black(0.8L,1000W)



```
G-H1202(1.2L,1350W)
```



G-K81 Black (0.8L,1000W)



G-K85(0.8L,1	000W)
--------	--------	-------

Tray Set Series



I-H1261(0.6L,1000W)



I-H1208(0.8L,800W)



I-H1263(0.6L,1000W)



I-H1262(0.6L,1000W)



I-H1268 Black(0.8L,1000W)



I-H0881S(0.8L,1000W)

Kettle Tray Set

J-series

100% melamine with cerermic luster surface can effctively maintain the cleaning of bar surface, prerent the furniture from water invasion.

CE CB SASO RoHS



J-H1205(1.2L,1000W)



J-H1206 Black(1.2L,1000W)



J-H1206 Silver(1.2L,1000W)

F-series

100% melamine with cerermic luster surface can effctively maintain the cleaning of bar surface, prerent the furniture from water invasion.

CE CB SASO RoHS



F-H2002 Black(1.2L,1350W)

K-series

1.Original patented design, combined the kette base and tray two in one, more concise and elegant.

 Stainless steel water filters and reservoirs to collect overflow water to avoid the huge loss of furniture and wallpaper erosion caused by overflow tea.

3.ABS materials and imitation wood grain design,shatter & scratch resistant,free of fingerprints.





K-H0881S(0.8L,1000W)



K-H1263(0.6L,1000W)



K-H1262(0.6L,1000W)



K-H1208(0.8L,800W)



K-H1208 Gun(0.8L,800W)

Kettle Tray Set

A-series



A-H2002 White(1.2L,1350W)



A-H2002 Black(1.2L,1350W)

B-series



B-H2002 Black(1.2L,1350W)



B-H1206-1(1L,1000W)



B-H1202(1.2L,1350W)



B-H1268 Black(0.8L,1000W)

Kettle Tray Set



C-H1206-1(1L,1000W)



C-H1268 Black(0.8L,1000W)

W-series

1. This tray is made of carefully selected high-quality wood with clear texture, strong pacticability and durability features.

2.The surface of the tray is finely polished, with smooth touch and fine workmanship.

CE CB SASO RoHS



W-H1208 Gun(0.8L,800W)

H-series



H-H2002 Black(1.2L,1350W)



H-H1202B Mat(1.2L,1800W)

Model: F15 3 speed hot wind + 3 speed cold wind Over heating protection Power: 220-240V 50/60Hz 1800-2100W

Honeyson

Quick.drying





Hammar Hair dryer MODEL / F17W/F17B



Outlet

Safe switch

- · 2 speed hot wind + 1 speed cold wind
- · Safty button
- · Over heating protection
- * Power: 220-240V 50/60Hz 1600-1800W
- · large air outlet for faster hair drying
- · back filter, safer to prevent the hair from getting involved in the hair dryer



BLACK

F17W

Model / F13



2 speed hot wind + 1 speed cold wind Safty button Over heating protection Power: 220-240V 50/60Hz 1800-2100W



HAIR DRYER

Model / F2



3 speed temperature + 2speed wind Safty button Over heating protection Power: 220-240V 50/60Hz 1800-2100W



HAIR DRYER

Model/F7W



3 speed temperature + 2 speed wind Safty button Over heating protection Power: 220-240V 50/60Hz 1600-1800W)



Model / F6







2 speed hot wind + 1 speed cold wind Safty button Over heating protection Power: 220-240V 50/60Hz 1400-1600W



HAIR DRYER

Model / F5





2 speed hot wind + 1 speed cold wind Over heating protection Power: 220-240V 50/60Hz 1200-1400W)



HAIR DRYER

Model/F12



2 speed hot wind + 1 speed cold wind Over heating protection Power: 220-240V 50/60Hz 1200-1400W



Model/ D07-2



Wall Holder features Anti-Theft Cable tracks

- 1.Safety switch, press to work, prevent customer to use
- it in incorrect way.
- 2. Hight and low speed setting for your option.
- 3.Stylish and easy to install.
- 4. Overheating protection.
- 5.Can make with 110V/220V shaver socket.




2 SPEED HOT WIND + COOL WIND Settings



SAFETY ON / OFF Press Switch

AFTER STRETCH



COIL MADE OF SPECIAL MATERIAL To Ensure Bounce Back & Return to Shape And Length

Model/D01



2 speed hot wind Safty button Over heating protection Power: 220-240V 50/60Hz 1300W





D01A (WITH SHAVER SOCKET 110V & 220V) D01A-1 (WITH SHAVER SOCKET 220V)



HAIR DRYER

Model / D02B

2 speed hot wind Safty button Over heating protection Power: 220-240V 50/60Hz 1300W

HOTEL MINI BAR

Capacity: 30L Ctn size: L420 x w400 x H485mm Power: 48W (220V-240V, 50Hz/60Hz) Temperature Range: 6-12°C N.W: 10.2KG/11.5KG





THERMOELECTRIC /MINI BAR

Model / HS-30A

Capacity: 30L Size: L420 x w400 x H485mm Power: 48W (220V-240V, 50Hz/60Hz) Temperature Range: 5-15°C N.W/G.W: 9.5KG/11KG





Model / HS-30G

Capacity: 30L Size: L420 x w400 x H485mm Power: 48W (220V-240V, 50Hz/60Hz) Temperature Range: 5-15°C N.W/G.W: 9.SKG/11KG

Model / HS-42A

Capacity: 42L Size: L420 x w420 x H515mm Power: 48W (220V, 50Hz) Temperature Range: 5-15°C N.W/G.W: 10.3KG/12.3KG





Model / HS-42G

Capacity: 42L Size: L420 x w420 x H515mm Power: 48W (220V, 50Hz) Temperature Range: 5-15°C N.W/G.W: 10.3KG/12.3KG

THERMOELECTRIC /MINI BAR

Model / BC-40G

Capcity:40L "Type: Glass door "ECO Temp: 10-15°C; "Automatically evaporating drain water; "Internal LED light; "Heater Power:10W "Size:400×420×530mm 20-2040 S(ofolds 5 SW



Model / BC-30A

Capcity:30L *Type: solid door *ECO Temp: 6.5-15°C; *Automatically evaporating drain water; *Internal LED light; *Heater Power:10W *Size:400×398×480mm 220-2404 50(60Hz 55W)





Model / BC-40A

Capcity:40L *Type: Glass door *ECO Temp: 10-15°C; *Automatically evaporating drain water; *Internal LED light; *Heater Power:10W *Size:400×420×530mm \$20-2404 SO(60Hz 55W)



Model / BC-30G

Capcity:30L *Type: glass door *ECO Temp: 10-15°C; *Automatically evaporating drain water; *Internal LED light; *Heater Power:10W *Size:400×398×480mm \$20-2404 Sto(60Hz 55W

THERMOELECTRIC /MINI BAR

Model / BC-17A

Capacity: 17L Size: L385 x w341x H415mm Power: 48W (220V-240V, 50Hz/60Hz) Temperature Range: 5-10°C N.W/G.W: 7KG/9.2KG





Model / BC-17S

Capacity: 17L Size: L385 x w356 x H405mm Power: 48W (220V-240V, 50Hz/60Hz) Temperature Range: 5-10°C N.W/G.W: 7KG/9.2KG

Model / BC-20A

Capacity: 20L Size: W400*D422*H352mm Power: 55W (220V-240V, 50Hz/60Hz) ECO Temp: 4.5-15°C Heater Power:10W





Model / BC-20BF

Capacity: 20L Size: W400*D422*H352mm Power: 55W (220V-240V, 50Hz/60Hz) ECO Temp: 10-15°C Heater Power:10W

ABSORPTION/MINI BAR

Capacity: 30L Size: L420 x w400 x H480mm Power: 65W (220V-240V, 50Hz/60Hz) Temperature Range: 0-8°C/5-12°C N.W/G.W: 16.1KG/18.2KG



Model: XC-30AB-BL Solid Door



Model: XC-30BB-BL Glass Door



Capacity: 60L Size: L517x w485 x H560mm Power: 80W (220V-240V, 50Hz/60Hz) Temperature Range: 0-8°C N.W/G.W: 18.5KG/20.5KG



Model: XC-60B-BL Glass Door



Model: XC-60A-BL Solid Door

HEAT ABSORPTION/MINI BAR

Model / CB-20SA

Capacity: 20L Size: L360 x w390 x H440mm Power: 48W (220V-240V, 50Hz/60Hz) Temperature Range: 8°C N.W/G.W: 9.5KG/11KG





Model / SC-20SA

Capacity: 20L Size: L360 x w390 x H440mm Power: 63W (220V-240V, 50Hz/60Hz) Temperature Range: 12°C N.W/G.W: 10KG/11KG

Model / CB-40SA

Capacity: 40L Size: L400 x w420 x H570mm Power: 48W (220V, 50Hz) Temperature Range: 8°C N.W/G.W: 12.3KG/13.6KG



Model / SC-40SA

Capacity: 42L Size: L480 x w420 x H570mm Power: 63W (220V, 50Hz) Temperature Range: 12°C N.W/G.W: 13.6KG/14.9KG



Thermo Absorption mini bar

Model / XCS-30AS-BL

Capacity: 30L Size: W400*D390*H480MM Power: 65W (220V/60HZ,110V/60HZ) Temperature Range: 10-16°C N.W/G.W: 10kg/11kg





Model / XCS-30BS-BL

Capacity: 30L Size: W400*D390*H480MM Power: 65W (220V/60HZ, 110V/60HZ) Temperature Range: 6-12°C N.W/G.W: 12kg/13kg

Model / XCS-40AS-BL

Capacity: 40L Size: W410*D400*H550MM Power: 65W (220V/60HZ, 110V/60HZ) Temperature Range: 6-12°C N.W/G.W: 11.5kg/13kg





Model / XCS-40BS-BL

Capacity: 40L Size: W405*D400*H550MM Power: 65W (220V/60HZ, 110V/60HZ) Temperature Range: 10-16°C N.W/G.W: 13.5kg/15kg

FRIDGE/MINI BAR

Model / XC-50A

Capacity: 50L Size: L500x W550 x H430mm Power: 80W (220V-240V, 50Hz/60Hz) Temperature Range: 0-8°C N.W/G.W: 20.5KG/18.2KG





Model / CB-21SA

Capacity: 21L Size: L385 x w455 x H375mm Power: 48W (220V, 50Hz) Temperature Range: 8°C N.W/G.W: 9.4KG/10.5KG




COMPRESSOR FRIDGE MINI BAR

Model / SC-50L

Capacity: 50L Size: L445 x W465 x H520mm Power: 75W (220V-240V, 50Hz/60Hz) Temperature Range: 0-10°C









COMPRESSOR FRIDGE MINI BAR



Model / BC-40L

Capacity: 40L Size: L425 x W425 x H490mm Power: 55W (220V-240V, 50Hz/60Hz) Temperature Range: 0-10°C




Model / BC-50L

Capacity: 50L Size: L445 x W480 x H520mm Power: 50W (220V-240V, 50Hz/60Hz) Temperature Range: 0-10°C







COMPRESSOR FRIDGE MINI BAR



Model / BSC-75L

Capacity: 75L Size: L445 x W470 x H760mm Power: 75W (220V-240V, 50Hz/60Hz) Temperature Range: 0-10°C



Model / BSC-110L

Capacity: 85L Size: L490x W510 x H880mm Power: 85W (220V-240V, 50Hz/60Hz) Temperature Range: 0-10°C



S10MM

4901/88



FOR HOSPITALTY IRONING CENTRE SYSTEN

IRONING BOARD SERIES

Auto-off function, vertical position, 8 minutes auto off; horizontal position, 30 seconds auto off.

ceramic sole plate full-function style dry/spray/steam/burst steam/self-cleaning antic-calc/anti-drip.



Steam Iron



1800W

Model:HS-05 Product size:29.2x12.1x14.5cm Plate size:21.9x12.1cm Water tank:320ml 220-240V,50-60Hz



Model:HS-06 Product size:29.2x12.1x14.5cm Plate size:21.9x12.1cm Water tank:320ml 220-240V,50-60Hz



Dry Iron



1000W

Model:HS-07 Product size:26.5x10.3x13.2cm Giftbox dimension: 270x110x136mm Power cord:1.8M 220-240V,50-60Hz

<u>1000W</u>

Model:HS-08 Product size:26.5x10.3x13.2cm Giftbox dimension: 270x110x136mm Power cord:1.8M 220-240V,50-60Hz





PRODUCT DETAILS



Extra thick built-in support rods



Comes with hanging hook



Feet tubes fixed hook



Safety crimping

design







Flexible legs cover

Anti-theft Series Ironing Station

[Hanging into hotel wardrobe]



Rotable iron holder



Stores Neatly On Rail



Anti-Theft Cable lock



Anti-drip Series Ironing Station |Hanging into hotel wardrobe|



Rotable Iron Holster



Stores Neatly On Rail



Anti-drip Cable lock



Wall Mounted Series Ironing Stations



Wall Mounted Series Ironing Stations



Model:IB02

Model:IB02

Model:IB09

HOTEL SAFE

MODEL / D1541MJ size: 410 x 350 x 150mm

MODEL / E2042BJ

size: 420 x 370 x 200mm

MODEL / E2042MJ

size: 420 x 370 x 200mm

MODEL / E2042A

size: 420 x 370 x 200mm





size: 420 x 370 x 200mm



MODEL / E2042F

size: 420 x 370 x 200mm





HOTEL SAFE

Model / E2042H

size: 420 x 370 x 200mm

Model / E2042N size: 420 x 370 x 200mm

Model / E2042M

size: 420 x 370 x 200mm



Model / E2042V







Model / E2042G

size: 420 x 370 x 200mm



Model / C2042 size: 420 x 370 x 200mm



Telephone



Model:HS-011

Model:HS-012

Telephone



Model:SN-006

Telephone







Model: 8901





Model: 8905





Model: 8905B

FLASHLIGHT

80000Hrs

Model / HSF-01



Model: HSF-01





Model / HS-D3A

- Size : 28*28*3 cm
- N.W : 1.5KG
- G.W: 1.69KG
- Max Weight : 180KG
- Carton Size : 31.5*28.5*31.5 cm
- Pcs/carton: 5 pcs / carton
- Power supply : step the button, it will automatically switch on.



WEIGHING SCALE

Model / HS-1102

Platform: Tempered glass LCD size: 61 x 25mm Size: 300 x 300 x 23mm Max capacity: 180KG



Model / DL-D1102

Platform: Tempered Glass platform LCD size: 61*25mm Size: 280*280*23mm Max capacity: 180KG;



Model / GL-D1M

Platform: Tempered glass/ABS LCD size: 73 x 33mm Size: 395x 380 x 37mm Max capacity: 180KG:



Model / H-02

Platform: Tempered glass LCD size: 73 x 33mm Size: 312x 285x 23mm Max capacity: 180KG

Model / H-03

Platform: 5mm Tempered glass LCD size: 61x25mm Size: 312*285*20mm Max capacity: 180KG

Model / H-04

Platform: 304 stainless steel LCD size: 79 x 36mm Size: 340x 275x 25mm Max capacity: 150KG



MAGNIFYING MIRROR

Model/HS-67

dia: 6" ,8"



Model/ HS-66

dia: 6″,8″



Model / HS-519

dia: 8" Thickness: 20mm LED: 60000 hrs



Model / HS-539

size: 212 x 212mm LED: 60000 hrs



Model / HS-726

dia: 6" ,8"



Model / HS-529

dia: 8.5" Thickness: 55mm LED: 60000 hrs



Model / HS-509

dia: 8.5" Thickness: 27mm LED: 60000 hrs



Model / HS-559

size: 220 x160mm LED: 60000 hrs



HOTEL SMART LOCK

Model / LD-510

- Material: Stainless steel.
- · Technology: Employ electromagnetic wave induction technology, being more maneuverable.
- Applicable card: T5577 Mifare one Em4305 ID card.
- · Power supply: 4 AA alkaline batteries.
- Static power consumption: <10 μA.
- Dynamic power consumption: about 200mA.
- Low voltage prompt: 4.8V.
- Sensing distance: 3-5cm.
- Applicable temperature: -20--50°C.
- Relative humidity: 15-85% (non-condensing).
- Anti-static: >15.000V. It ensures the information won't be lost under the interference
 of strong static electricity and more stable.
- Lock type: Electronic.



2000

CARD





Model / LD-200

- Material: Stainless steel with stylish ultra-thin design.
- · Technology: Employ electromagnetic wave induction technology, being more maneuverable.
- Applicable card: T5577 Mifare one Em4305 ID card.
- Power supply: 4 AA alkaline batteries.
- Static power consumption: <10 μA.
- Dynamic power consumption: about 200mA.
- Low voltage prompt: 4.8V.
- Sensing distance: 3-5cm.
- Applicable temperature: -20--50°C.
- · Relative humidity: 15-85% (non-condensing).
- Anti-static: >15.000V. It ensures the information won't be lost under the interference of strong static electricity and more stable.
- Lock type: Electronic.







HOTEL SMART LOCK



Model / LD-212

- Technology: Employ electromagnetic wave induction technology, being more maneuverable.
- Applicable card: T5577 Mifare one Em4305 ID card.
- Power supply: 4 AA alkaline batteries.
- Static power consumption: <10 μA.
- Dynamic power consumption: about 200mA.
- Low voltage prompt: 4.8V.
- Sensing distance: 3-5cm.
- Applicable temperature: -20--50°C.
- Relative humidity: 15-85% (non-condensing).
- Anti-static: >15.000V. It ensures the information won't be lost under the interference of strong static electricity and more stable.
- the interference of atrong addice electricity i
- Lock type: Electronic.











Copper

Black









Model / L-01 /L-02

- Size: Short arm 250mm / 360mm
- Material: Aluminum+Zinc Alloy
- Light Bulb:220-240V
- Plug: British plug
- Input Voltage(V):220V





Model / BT508

· Product size: 11.4*4.5*8.7cm

Digital Alarm Clock with Buzzer and Radio Alarm Sound

• 12 Hour Time System.

· you can choose buzzer or radio as the alarm sound

Voltage is AC110V-220V 50-60Hz, the cable length is 1.5M,

2 AAA batteries for back up power



HAND SANITIZER DISPENSER

Model / H1808

Voltage:DC or 4 x C batteries
 Capacity:1000ml
 Out put:1.0ml
 Main material:ABS
 size:123x114x262mm





Model / HS-1806

- INDUCTION WAY: infrared reflection
- INDUCTION DISTANCE: 3CM -12CM
- · MATERIAL: ABS
- · CAPACITY: 1000ml
- REFILLABLE LIQUID: milky liquid(such as:shampoo,shower gel,hand soap,etc.)
- DISPENSING: gel/liquid/foam
- · DOSE: 1.0ml
- · BATTERY: 4 X C alkaline batteries (not included)
- POWER ADAPTER: Input voltage AC100~240V 50/60Hz
- output voltage:DC6.0V 2A(Optional, it is not included by default) • Size:140x100x268mm

Model / HS-1805

- · MATERIAL: ABS
- · CAPACITY: 1000ml
- REFILLABLE LIQUID: milky liquid(such as:shampoo,shower gel,hand soap,etc.)
- · DISPENSING: gel/liquid/foam
- DOSE: :1.0ml
- Size:140x100x260mm



DUST BIN

Model/ H8018

*#410 Stainless steel material/ fire safe construction design *plastic liner for easy cleaning/ polished finish *Capacity: 3 litres Size: ¢ 169 x H270mm



Model/ H8020

*#410 Stainless steel material/ fire safe construction design *plastic liner for easy cleaning/ polished finish *Capacity: 12 litres Size: ¢ 252 x H402mm



Model / RB-01

*Double layer wastebin *Outer: wrapped with PU leather (Different colors and styles for leather are avaible) *Inner: iron painted *With chrome top *Size: 225*B720mm



Model / WD-A1-5L

* #410 Stainless steel material

- *Fire safe construction design
- * Plastic liner for easy cleaning
- * Color: Silver matte
- * Buffer closing device
- * Capacity: 5 litres



Model / H8019

*#410 Stainless steel material/ fire safe construction design *plastic liner for easy cleaning/ polished finish *Capacity: 5 litres Size: ¢ 205 x H265mm



Model / H8021

#410 stainless steel material, plastic accessories



Model / OB-02

*Double layer wastebin *Outer: wrapped with PU leather(Different colors and styles for leather are avaible) *Inner: iron painted *With chrome top *Size(L*W*H)255*195*270mm (10 litres)



Model / WD-A1-7L

- * #410 Stainless steel material
- * Fire safe construction design
- * Plastic liner for easy cleaning
- * Color: Silver matte
- * Buffer closing device
- * Capacity: 7 litres



DUST BIN

Model/WD-A1-9L

- * #410 Stainless steel material
- * Fire safe construction design
- * Plastic liner for easy cleaning
- * Color: Silver matte
- * Buffer closing device
- * Capacity: 9 litres



Model/ WD-ST-5L

- * #410 Stainless steel material
- * Fire safe construction design
- * Plastic liner for easy cleaning
- * Color: Silver matte
- * Buffer closing device
- * Capacity: 5 litres



Model / WD-A1-12L

- * #410 Stainless steel material
- * Fire safe construction design
- * Plastic liner for easy cleaning
- * Color: Silver matte
- * Buffer closing device
- * Capacity: 12 litres



Model / WD-ST-7L

- * #410 Stainless steel material
- * Fire safe construction design
- * Plastic liner for easy cleaning
- * Color: Silver matte
- * Buffer closing device
- * Capacity: 7 litres



Model / WD-ST-8L

- * #410 Stainless steel material
- * Fire safe construction design
- * Plastic liner for easy cleaning
- * Color: Silver matte
- * Buffer closing device
- * Capacity: 8 litres



Model / WD-ST-10L

- * #410 Stainless steel material
- * Fire safe construction design
- * Plastic liner for easy cleaning
- * Color: Silver matte
- * Buffer closing device
- * Capacity: 10 litres



Model / WD-ST-12L

- * #410 Stainless steel material
- * Fire safe construction design
- * Plastic liner for easy cleaning
- * Color: Silver matte
- * Buffer closing device
- * Capacity: 12 litres



Model / WD-ST-20L

- * #410 Stainless steel material
- * Fire safe construction design
- * Plastic liner for easy cleaning
- * Color: Silver matte
- * Buffer closing device
- * Capacity: 20 litres



OTHER



Model / HM7215D

Strong metal frame with silver chrome

• 4 black durable straps

Easy fold up

Size: L550*W500*H700mm

Model / HS605462

Size:L600*W545*H620mm

 Color: nature color- material is beach wood; brown color material is rubber wood. Brown color is +USD2.8









SIZE:(L)130X(W)60X(H)153



SIZE:(L)170X(W)170X(H)140



SIZE:(L)140X(W)90



SIZE:(L)180X(W)125X(H)65



SIZE:(L)80X(W)90X(H)160



SIZE:(L)155X(W)90X(H)160



SIZE:(L)240X(W)60X(H)45



SIZE:(L)150X(W)80X(H)65



SIZE:(L)150X(W)80X(H)35/65



SIZE:(L)115X(W)75X(H)45



SIZE:(L)127X(W)70X(H)75



SIZE:(L)240X(W)125X(H)65



SIZE:(L)280X(W)160X(H)68



SIZE:(L)255X(W)150X(H)100



SIZE:(L)260X(W)200X(H)110





SIZE:(L)350X(W)230X(H)30

SIZE:(L)350X(W)230X(H)30

SIZE:(L)150X(W)150X(H)25



SIZE:(L)210X(W)100



SIZE:(L)240X(W)150



SIZE:(L)80X(W)80X(H)100







Another is Remarkance

SIZE:(L)130X(W)130X(H)70

And the second s

SIZE:(L)130X(W)130X(H)130

SIZE:(L)240X(W)130




HOTEL SMART LOCK



HOTEL HANGER







MBTT HOSPITALITY & COMMERCIAL SUPPLIES DMCC



Sole Distribution for MEA & Indian Ocean Territory

MBTT HOSPITALITY AND COMMERCIAL SUPPLIES DMCC P.O. Box 114595, Unit 502, 5th Floor Mazaya Business Avenue, Jumeirah Lake Towers, Dubai United Arab Emirates Telephone: +971 4 5640022 | Fax: +971 4 577 4627 MOHAMMED BIN HAMAD AL TAIE TRADING P.O. Box 137, Postal code 118 Al Harthy Complex Muscat - Sultanate of Oman Muscat: Telephone: +968 2 4701023 | Fax: +968 2 4797310

email: teleadapt_me@altaie.net.om / info@altaie.net.om web: www.altaie.net.om